

COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET						Frequency Band HF, VHF, UHF		Description WX4MHX Newport Skywarn	
Channel Configuration	Channel Name/Trunked Radio System Talkgroup	Eligible Users	RX Freq N or W	RX Tone/NAC	TX Freq N or W	Tx Tone/NAC	Mode A, D or M	Remarks	
Voice-VHF	Grifton	ARES	146.685	88.5	146.085	88.5	A	Command-Primary	
Voice-VHF	Grantsboro	ARES	145.23	85.4	144.63	85.4	A	Pamlico County	
Voice-VHF	Columbia	ARES	146.835	131.8	146.235	131.8	A	Outer Banks	
Voice-VHF	Englehard	ARES	146.715	131.8	146.115	131.8	A	Hyde County	
Voice-VHF	Oriental	ARES	147.21	151.4	147.81	151.4	A	Pamlico County	
Voice-VHF	Swansboro	ARES	146.76	88.5	146.61	88.5	A	Onslow County	
Voice-VHF	Jacksonville	ARES	147	88.5	146.4	88.5	A	Onslow County	
Voice-VHF	Jacksonville	ARES	145.19	88.5	144.59	88.5	A	Onslow County	
Voice-VHF	Newport	ARES	145.45	100	144.85	100	A	K4GRW Repeater	
Voice-IRLP	Newport	8561						Use K4GRW Repeater	
Voice-IRLP	VOIP Wx Net	9219						Use K4GRW Repeater	
Voice-IRLP	Newport	9210						Use K4GRW Repeater	
Voice-UHF	Newport	ARES	444.825	88.5	449.825	88.5	A	Newport Skywarn B/U	
Voice-UHF	Newport	ARES	444	131.8	443.4	131.8	A	Onslow County	
Voice-UHF	Newport	ARES	444.675	88.5	449.675	88.5	A	Downeast 440	
Voice-HF	Tarheel	ARES	3923 kHz	LSB				Statewide HF Net	
Voice-HF	CCEN	ARES	3.907 kHz	LSB					
Voice-HF	Hurricane Net	ARES	14.325 kHz	USB				NHC Miami	

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the RX and TX reversed.